



 **LAPPSET**



The freedom to play

At the heart of a playground is a promise: The freedom to play without limits. We believe that this freedom actually begins long before the first swing, slide, or adventure. It begins with design.

Our modular system gives landscape architects and designers the freedom to shape spaces that are as unique as the children who will explore them. Spaces that adapt, invite, and include. Spaces that turn imagination into reality, piece by piece.

When design is free, play becomes limitless. And every child, of every ability and every background, finds a place where they too, can let loose.



Table of contents

Without kids it's just a ground	4
Playful Nordic design	6
Inclusive user-experience	10
The sustainable option	12
Affordable tailoring	16
Prime Products	18
Climbing frames	19
Motor skills tracks	20
Play towers	21
Swings	25
Play houses	26
Slides	27
Play paths	30
Balancing	30
Accessories	31
Carousels	32
Tunnels	32
Sandboxes	34
Seesaws	35
Spring rockers	38
Playmats	40



Without kids it's just a ground.

It's not the colours or the clever design that make a playground come alive. It's the child who sees a mountain where we see a slope, finds a new way up, and turns the space into something of their own.

Prime playground equipment is designed with every child in mind. It's made for children to grow and connect, each at their own ability, pace, and way of experiencing the world.





Balancing form, function, and fun.

Bold primary shapes, soft edges, and sculptural wooden forms. By blending the familiar Nordic design values of minimalism, functionality, and a connection to nature with a touch of joy and playfulness, we've created a design language that feels grounded, uplifting, and at home in any landscape.

Playful Nordic™ design

The Prime playground collection features a distinctive, design-protected language that blends creativity, functionality, and Nordic heritage into forms that stand the test of time.



1. Ewa Sandbox and Slide 2. Vilja Play Tower, detail

Playmats

Playmats invite crawling, rolling, sitting, jumping, and storytelling, helping more children join in and feel included. They expand play possibilities and let a child's imagination set the limits.

The colourful mats help guide movement around the play area, forming gentle routes and directions. They also improve accessibility for all users, including parents and caregivers who may use a wheelchair.

Always sold together with Prime playground equipment.



Play is a right, not a reward.

Inclusivity begins with design. Every child deserves the chance to move, discover, and connect with others, regardless of ability. Lappset's inclusive design approach ensures that outdoor spaces and playgrounds welcome everyone through thoughtful design and measurable accessibility.



Design philosophy

Inclusive environments make play better for everyone. At Lappset, inclusivity is one of our key principles. We design playgrounds that welcome children with a wide range of needs, from physical and sensory differences to social and developmental challenges, so that every child can join in.

People-first at every stage

We don't design only for children, but also for the adults and caregivers who are part of the experience. Prime playgrounds include accessible benches, spaces for all ages and abilities, and features that make it possible for parents with disabilities to join in play with their children.

Positive impacts

Inclusive outdoor spaces help everyone feel welcome, capable, and safe. By supporting both social equity and wellbeing, they also reduce frustration and lower the risk of damage or vandalism.





The sustainable option

Smaller footprint, more footsteps.

At Lappset we are playful about many things, but serious about sustainability. We use renewable Nordic pine, electricity from renewable sources, and long-lasting design to leave a lighter footprint for future generations.

Every Prime playground product comes with transparent carbon footprint data.

Renewable wood

The core of our climate work is the material we use. Wood is renewable, carbon-binding and has a low footprint, making it ideal for playground equipment.

Always locally sourced

Our wood comes from nearby. We use PEFC-certified Nordic pine from sustainably managed Finnish forests.

Wood versus other materials


Wood has many benefits, from durability to recyclability. Furthermore compared to metal or plastic, wood requires less energy and water to process, making it the more sustainable choice.

Inclusivity ratings

True inclusivity is about more than ramps and wheelchair access. It also means considering cognitive and sensory needs. The Prime playground collection applies inclusivity ratings developed with the Finnish Paralympic Committee. These ratings look at mobility, vision, hearing, speech, intellectual abilities and motor coordination. The idea is simple: universal design should support different ways of moving, sensing, and interacting.

Maximilian Play Tower

Product	F24102M
Age group	4+
Users	24
Height	4640 mm
Length	7380 mm
Width	7650 mm
Falling space	83,0 m ²
Fall height	2400 mm
Impact area	65,0 m ²
GWP-total, A1-A3 (kg CO ₂ e)	845,67



Product carbon footprint

Every product in the Prime playground collection comes with transparent carbon footprint data, helping you understand the environmental impact of your choices. This reflects our commitment to clarity and responsibility, ensuring that the materials we use and the way we produce our equipment are as thoughtful as the way it's used.

The Global Warming Potential (GWP), also referred to as the carbon footprint, measures a product's contribution to climate change.

The reported carbon footprint results are self-declared in accordance with ISO 14021 and calculated using ISO 14040 and ISO 14044 life cycle assessment standards. The data is structured following the ISO 21930 / EN 15804+A2 framework, ensuring consistency with recognised product reporting methods for construction and outdoor products.

Accessibility rating

These categories show how accessible the play product is for people with impairments.

Age group fit

The physical challenge rating helps match products to different skill levels. Both low and high challenges are needed for a playground that suits all children.

Inclusivity rating

These categories highlight the product's value in inclusion: how well it enables children with impairments to join in play.

Tip!

Always consider artificial turf for impact protection, and choose a colour combination with strong contrast, such as Ember with natural wood or Bloom with brown wood.

Heartbeat rate

These categories assess the product's broader value, supporting not only physical activity but also social and emotional development.

Cradle-to-gate in a nutshell

Cradle-to-gate refers to the complete production process—from raw material extraction to the moment the finished product leaves the factory gates.

This includes:

- A1: Raw materials and sourcing
- A2: Transportation to manufacturing
- A3: Product manufacturing

It excludes transport to site, installation, use, and end-of-life stages, offering a focused view of the impact we can directly control and improve.

Included with every product

Each product in this collection comes with a carbon footprint summary. This enables:

- Sustainable procurement decisions
- Easy product comparison
- Alignment with your ESG and carbon goals

Whether you're planning a playground, park, or public space, this information supports more conscious and responsible choices.

Example: Maximilian Play Tower

GWP-total (A1-A3): 845,67 kg CO₂e
 GWP-fossil (A1-A3): 2297,35 kg CO₂e
 Declared unit mass: ~ 1361,859 kg

These figures reflect emissions from the cradle-to-gate stages of the product's life.

What does 845,67 kg CO₂e mean?*

- 6204,5 km of driving a car
- 1,4 times Helsinki-München roundtrip in an airplane
- 108 times warming up a sauna in Finland

Unique for you, affordable for all.

Not many unique things in this world are affordable. Our new modular playground collection changes that, offering tailored designs for every playground, big or small.



1. Play towers, Nokia



Ember



Bloom



Meadow



Mist



Snow

Colour themes

Prime playground equipment is available in five fresh colour combinations that blend naturally into different surroundings. Each palette is designed to complement the natural warmth of Nordic pine.

Each colour theme is available with three wooden post colour options: natural tone, premium brown, and platinum grey. The visualisations shown feature the natural tone.



Prime playground equipment



Official Partner of
Finnish Paralympic
Committee

Prime is modular playground equipment designed for modern needs. Flexible, durable, and inclusive by design, it adapts to different environments and supports all abilities. It's a smart, long-term choice for communities that value people, places, and the planet.

Climbing frames



Angelica Climbing Frame	
Product	F24300M
Age group	3+
Users	10
Height	2110 mm
Length	1850 mm
Width	1690 mm
Falling space	17,0 m ²
Fall height	1450 mm
Impact area	17,0 m ²
GWP-total, A1-A3 (kg CO2e)	170,72

Accessibility rate		
Body	Mind	Sensory
67%	67%	60%
Inclusivity rate		
Body	Mind	Sensory
67%	78%	67%
Heartbeat rate		
Physical	Emotional	
89%	61%	



Saga Climbing Frame	
Product	F24301M
Age group	3+
Users	16
Height	3990 mm
Length	4090 mm
Width	5050 mm
Falling space	46,0 m ²
Fall height	2000 mm
Impact area	46,0 m ²
GWP-total, A1-A3 (kg CO2e)	440,99

Accessibility rate		
Body	Mind	Sensory
53%	67%	80%
Inclusivity rate		
Body	Mind	Sensory
43%	48%	67%
Heartbeat rate		
Physical	Emotional	
89%	56%	



Kaj Climbing Frame	
Product	F24302M
Age group	3+
Users	5
Height	2330 mm
Length	1620 mm
Width	1620 mm
Falling space	20,5 m ²
Fall height	2330 mm
Impact area	20,5 m ²
GWP-total, A1-A3 (kg CO2e)	137,75

Accessibility rate		
Body	Mind	Sensory
40%	52%	53%
Inclusivity rate		
Body	Mind	Sensory
50%	48%	56%
Heartbeat rate		
Physical	Emotional	
78%	33%	



Kalle Climbing Frame	
Product	F24303M
Age group	4+
Users	4
Height	3810 mm
Length	1290 mm
Width	1410 mm
Falling space	21,0 m ²
Fall height	1970 mm
Impact area	21,0 m ²
GWP-total, A1-A3 (kg CO2e)	168,96

Accessibility rate		
Body	Mind	Sensory
43%	52%	67%
Inclusivity rate		
Body	Mind	Sensory
50%	63%	61%
Heartbeat rate		
Physical	Emotional	
78%	44%	



Klara Climbing Frame
 Product F24304M
 Age group 4+
 Users 5
 Height 2070 mm
 Length 890 mm
 Width 890 mm
 Falling space 18,0 m²
 Fall height 2060 mm
 Impact area 18,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 55,15

Accessibility rate
 27% 37% 40%
 Body Mind Sensory

Inclusivity rate
 43% 41% 61%
 Body Mind Sensory

Heartbeat rate
 72% 33%
 Physical Emotional




Eino Climbing Frame
 Product F24201M
 Age group 3+
 Users 17
 Height 3990 mm
 Length 5050 mm
 Width 4090 mm
 Falling space 49,0 m²
 Fall height 2000 mm
 Impact area 49,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 622,84

Accessibility rate
 63% 78% 87%
 Body Mind Sensory

Inclusivity rate
 60% 48% 67%
 Body Mind Sensory

Heartbeat rate
 89% 56%
 Physical Emotional

Play towers



Enni Toddler Play Tower
 Product F24101M
 Age group 1+
 Users 4
 Height 2360 mm
 Length 2280 mm
 Width 1260 mm
 Falling space 15,0 m²
 Fall height 580 mm
 Impact area 6,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 227

Accessibility rate
 73% 70% 60%
 Body Mind Sensory

Inclusivity rate
 73% 67% 67%
 Body Mind Sensory

Heartbeat rate
 50% 50%
 Physical Emotional



Vilja Play Tower
 Product F24110M
 Age group 1+
 Users 18
 Height 4070 mm
 Length 6030 mm
 Width 4540 mm
 Falling space 58,0 m²
 Fall height 1970 mm
 Impact area 51,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 713,34

Accessibility rate
 73% 81% 67%
 Body Mind Sensory

Inclusivity rate
 77% 74% 67%
 Body Mind Sensory

Heartbeat rate
 78% 61%
 Physical Emotional

Motor skills tracks



Siiri Motor Skills Track
 Product F24200M
 Age group 1+
 Users 24
 Height 4510 mm
 Length 7930 mm
 Width 9670 mm
 Falling space 82,0 m²
 Fall height 1970 mm
 Impact area 82,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 1113,79

Accessibility rate
 77% 70% 73%
 Body Mind Sensory

Inclusivity rate
 63% 67% 56%
 Body Mind Sensory

Heartbeat rate
 89% 72%
 Physical Emotional



Maximilian Play Tower
 Product F24102M
 Age group 4+
 Users 24
 Height 4640 mm
 Length 7380 mm
 Width 7650 mm
 Falling space 83,0 m²
 Fall height 2400 mm
 Impact area 65,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 845,67

Accessibility rate
 83% 85% 87%
 Body Mind Sensory

Inclusivity rate
 83% 81% 61%
 Body Mind Sensory

Heartbeat rate
 94% 100%
 Physical Emotional



Eeli Motor Skills Track
 Product F24202M
 Age group 4+
 Users 26
 Height 4310 mm
 Length 7040 mm
 Width 5100 mm
 Falling space 65,0 m²
 Fall height 2550 mm
 Impact area 65,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 808,68

Accessibility rate
 60% 44% 80%
 Body Mind Sensory

Inclusivity rate
 57% 52% 50%
 Body Mind Sensory

Heartbeat rate
 89% 44%
 Physical Emotional



Lenne Play Tower
 Product F24100M
 Age group 1+
 Users 7
 Height 3670 mm
 Length 3010 mm
 Width 2810 mm
 Falling space 25,0 m²
 Fall height 1470 mm
 Impact area 24,0 m²
 GWP-total,
 A1-A3 (kg CO2e) 424,21

Accessibility rate
 53% 63% 93%
 Body Mind Sensory

Inclusivity rate
 67% 63% 50%
 Body Mind Sensory

Heartbeat rate
 72% 61%
 Physical Emotional



Swings



Lilli Play Tower

Product	F24103M
Age group	1+
Users	7
Height	3940 mm
Length	3500 mm
Width	2490 mm
Falling space	25,0 m ²
Fall height	1470 mm
Impact area	24,0 m ²
GWP-total, A1-A3 (kg CO2e)	411,04

Accessibility rate		
47%	48%	60%
Body	Mind	Sensory
Inclusivity rate		
40%	48%	56%
Body	Mind	Sensory
Heartbeat rate		
56%	61%	
Physical	Emotional	



Pelle Swing Frame Low

Product	F24411M
Age group	1+
Users	2
Height	2310 mm
Length	1450 mm
Width	3720 mm
Falling space	23,0 m ²
Fall height	1200 mm
Impact area	23,0 m ²
GWP-total, A1-A3 (kg CO2e)	169

Accessibility rate		
43%	70%	73%
Body	Mind	Sensory
Inclusivity rate		
67%	67%	67%
Body	Mind	Sensory
Heartbeat rate		
61%	39%	
Physical	Emotional	



Jin High Play Tower

Product	F24050M
Age group	2+
Users	30
Height	6110 mm
Length	5120 mm
Width	5580 mm
Falling space	43,0 m ²
Fall height	1970 mm
Impact area	43,0 m ²
GWP-total, A1-A3 (kg CO2e)	1680,7

Accessibility rate		
70%	59%	53%
Body	Mind	Sensory
Inclusivity rate		
53%	70%	61%
Body	Mind	Sensory
Heartbeat rate		
83%	94%	
Physical	Emotional	



Iivo Swing Frame with Inclusive Seat

Product	F24415M
Age group	1+
Users	4
Height	2880 mm
Length	1770 mm
Width	3930 mm
Falling space	21,1 m ²
Fall height	1400 mm
Impact area	21,1 m ²
GWP-total, A1-A3 (kg CO2e)	231

Accessibility rate		
80%	67%	73%
Body	Mind	Sensory
Inclusivity rate		
67%	70%	67%
Body	Mind	Sensory
Heartbeat rate		
61%	33%	
Physical	Emotional	



Jan High Play Tower

Product	F24051M
Age group	2+
Users	36
Height	8210 mm
Length	6340 mm
Width	6900 mm
Falling space	50,0 m ²
Fall height	1970 mm
Impact area	50,0 m ²
GWP-total, A1-A3 (kg CO2e)	3876,70

Accessibility rate		
77%	70%	53%
Body	Mind	Sensory
Inclusivity rate		
70%	56%	56%
Body	Mind	Sensory
Heartbeat rate		
83%	94%	
Physical	Emotional	



Ilmari Swing Frame with Birdnest Seat

Product	F24414M
Age group	1+
Users	4
Height	2740 mm
Length	1680 mm
Width	3900 mm
Falling space	21,0 m ²
Fall height	1400 mm
Impact area	21,0 m ²
GWP-total, A1-A3 (kg CO2e)	500

Accessibility rate		
70%	70%	73%
Body	Mind	Sensory
Inclusivity rate		
77%	74%	67%
Body	Mind	Sensory
Heartbeat rate		
61%	50%	
Physical	Emotional	



Heinä Swing Frame

Product	F24412M
Age group	4+
Users	2
Height	2720 mm
Length	3910 mm
Width	1750 mm
Falling space	25,5 m ²
Fall height	1400 mm
Impact area	25,5 m ²
GWP-total, A1-A3 (kg CO2e)	190,83

Accessibility rate		
43%	70%	73%
Body	Mind	Sensory
Inclusivity rate		
67%	67%	67%
Body	Mind	Sensory
Heartbeat rate		
61%	39%	
Physical	Emotional	



Peppi Swing Frame Low
 Product F24410M
 Age group 1+
 Users 1
 Height 2340 mm
 Length 1480 mm
 Width 2500 mm
 Falling space 14,0 m²
 Fall height 1200 mm
 Impact area 14,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 171,51

Accessibility rate
 43% 67% 73%
 Body Mind Sensory

Inclusivity rate
 63% 67% 56%
 Body Mind Sensory

Heartbeat rate
 56% 28%
 Physical Emotional



Krister Play House
 Product F24704M
 Age group 1+
 Users 10
 Height 2000 mm
 Length 2200 mm
 Width 1820 mm
 Falling space 19,7 m²
 Fall height 560 mm
 Impact area 0,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 304,84

Accessibility rate
 80% 80% 89%
 Body Mind Sensory

Inclusivity rate
 97% 93% 78%
 Body Mind Sensory

Heartbeat rate
 39% 78%
 Physical Emotional



Eero Swing Frame for Three
 Product F24413M
 Age group 1+
 Users 3
 Height 2340 mm
 Length 5640 mm
 Width 1500 mm
 Falling space 39,0 m²
 Fall height 1200 mm
 Impact area 39,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 294,29

Accessibility rate
 43% 70% 73%
 Body Mind Sensory

Inclusivity rate
 67% 67% 67%
 Body Mind Sensory

Heartbeat rate
 61% 39%
 Physical Emotional



Kajsa Play House
 Product F24701M
 Age group 1+
 Users 7
 Height 3440 mm
 Length 2880 mm
 Width 1900 mm
 Falling space 21,0 m²
 Fall height 1480 mm
 Impact area 20,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 281,05

Accessibility rate
 70% 77% 83%
 Body Mind Sensory

Inclusivity rate
 87% 81% 78%
 Body Mind Sensory

Heartbeat rate
 56% 100%
 Physical Emotional

Play houses

Slides




Astrid Play House
 Product F24705M
 Age group 1+
 Users 5
 Height 3510 mm
 Length 2210 mm
 Width 1820 mm
 Falling space 17,0 m²
 Fall height 980 mm
 Impact area 14,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 224,38

Accessibility rate
 87% 74% 87%
 Body Mind Sensory

Inclusivity rate
 67% 89% 89%
 Body Mind Sensory

Heartbeat rate
 50% 83%
 Physical Emotional



Juha Toddler Play House
 Product F24706M
 Age group 1+
 Users 6
 Height 1450 mm
 Length 1690 mm
 Width 1690 mm
 Falling space 0,0 m²
 Fall height 0 mm
 Impact area 0,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 197,15

Accessibility rate
 67% 70% 73%
 Body Mind Sensory

Inclusivity rate
 80% 74% 56%
 Body Mind Sensory

Heartbeat rate
 11% 89%
 Physical Emotional



Eemeli Slide
 Product F24010M
 Age group 1+
 Users 3
 Height 3010 mm
 Length 2620 mm
 Width 3010 mm
 Falling space 18,0 m²
 Fall height 1000 mm
 Impact area 16,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 115

Accessibility rate
 27% 48% 73%
 Body Mind Sensory

Inclusivity rate
 27% 63% 67%
 Body Mind Sensory

Heartbeat rate
 44% 39%
 Physical Emotional




Helvi Slide
 Product F24011M
 Age group 1+
 Users 3
 Height 3730 mm
 Length 4160 mm
 Width 1100 mm
 Falling space 24,0 m²
 Fall height 1470 mm
 Impact area 22,0 m²
 GWP-total,
 A1-A3 (kg CO₂e) 126,78


Accessibility rate
 50% 59% 87%
 Body Mind Sensory

Inclusivity rate
 63% 70% 72%
 Body Mind Sensory

Heartbeat rate
 50% 61%
 Physical Emotional



Play paths



Hemmo Play Path

Product	F24909M
Age group	2+
Users	2
Height	260 mm
Length	1740 mm
Width	920 mm
Falling space	17,0 m ²
Fall height	260 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	35,17


Accessibility rate		
73%	52%	53%
Body	Mind	Sensory
Inclusivity rate		
70%	67%	67%
Body	Mind	Sensory
Heartbeat rate		
61%	56%	
Physical	Emotional	



Erna Balancing Track

Product	F24802M
Age group	2+
Users	5
Height	570 mm
Length	3400 mm
Width	1000 mm
Falling space	20,0 m ²
Fall height	570 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	81,55

Accessibility rate		
47%	52%	47%
Body	Mind	Sensory
Inclusivity rate		
77%	70%	67%
Body	Mind	Sensory
Heartbeat rate		
67%	50%	
Physical	Emotional	



Kuisma Play Path

Product	F24907M
Age group	2+
Users	3
Height	330 mm
Length	2530 mm
Width	920 mm
Falling space	20,0 m ²
Fall height	330 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	46,28

Accessibility rate		
73%	52%	53%
Body	Mind	Sensory
Inclusivity rate		
70%	67%	67%
Body	Mind	Sensory
Heartbeat rate		
61%	56%	
Physical	Emotional	



Lovis Balance Net

Product	F24803M
Age group	2+
Users	6
Height	2530 mm
Length	4100 mm
Width	2260 mm
Falling space	28,0 m ²
Fall height	580 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	183,72

Accessibility rate		
70%	63%	67%
Body	Mind	Sensory
Inclusivity rate		
50%	74%	72%
Body	Mind	Sensory
Heartbeat rate		
72%	67%	
Physical	Emotional	



Silja Play Path

Product	F24908M
Age group	2+
Users	4
Height	590 mm
Length	3330 mm
Width	920 mm
Falling space	23,0 m ²
Fall height	630 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	31,57

Accessibility rate		
73%	52%	53%
Body	Mind	Sensory
Inclusivity rate		
70%	67%	67%
Body	Mind	Sensory
Heartbeat rate		
61%	56%	
Physical	Emotional	

Accessories



Markus Gate

Product	F24905M
Age group	0+
Users	N/A
Height	2960 mm
Length	210 mm
Width	2800 mm
Falling space	0,0 m ²
Fall height	0 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	-21,45

Accessibility rate		
100%	80%	50%
Body	Mind	Sensory
Inclusivity rate		
100%	80%	50%
Body	Mind	Sensory
Heartbeat rate		
0%	10%	
Physical	Emotional	

Balancing



Ärtan Balancing Steps

Product	F24801M
Age group	3+
Users	3
Height	550 mm
Length	1330 mm
Width	350 mm
Falling space	12,0 m ²
Fall height	550 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	31,61

Accessibility rate		
43%	52%	47%
Body	Mind	Sensory
Inclusivity rate		
77%	70%	67%
Body	Mind	Sensory
Heartbeat rate		
67%	50%	
Physical	Emotional	




Tero Park Sign

Product	F24906M
Age group	0+
Users	N/A
Height	1670 mm
Length	200 mm
Width	1000 mm
Falling space	0,0 m ²
Fall height	0 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	183,12

Accessibility rate		
100%	80%	50%
Body	Mind	Sensory
Inclusivity rate		
100%	80%	50%
Body	Mind	Sensory
Heartbeat rate		
0%	10%	
Physical	Emotional	

Carousels



Bert Carousel

Product	F24030M
Age group	2+
Users	4
Height	1030 mm
Length	780 mm
Width	780 mm
Falling space	18,0 m ²
Fall height	1000 mm
Impact area	18,0 m ²
GWP-total, A1-A3 (kg CO2e)	89,7

Accessibility rate


67%	56%	60%
Body	Mind	Sensory

Inclusivity rate

70%	81%	72%
Body	Mind	Sensory

Heartbeat rate

72%	39%
Physical	Emotional



Vera Carousel

Product	F24031M
Age group	3+
Users	6
Height	770 mm
Length	1200 mm
Width	1200 mm
Falling space	21,2 m ²
Fall height	1000 mm
Impact area	21,2 m ²
GWP-total, A1-A3 (kg CO2e)	91,9

Accessibility rate

73%	63%	67%
Body	Mind	Sensory


Inclusivity rate

73%	81%	72%
Body	Mind	Sensory

Heartbeat rate

72%	44%
Physical	Emotional

Tunnels



Turpo Play Tunnel

Product	F24702M
Age group	1+
Users	2
Height	1500 mm
Length	1590 mm
Width	1305 mm
Falling space	15,1 m ²
Fall height	1030 mm
Impact area	15,1 m ²
GWP-total, A1-A3 (kg CO2e)	258,5

Accessibility rate


47%	67%	80%
Body	Mind	Sensory

Inclusivity rate

67%	67%	61%
Body	Mind	Sensory

Heartbeat rate

61%	39%
Physical	Emotional



Urho Play Tunnel

Product	F24703M
Age group	1+
Users	4
Height	1500 mm
Length	3080 mm
Width	1620 mm
Falling space	20,4 m ²
Fall height	1030 mm
Impact area	20,4 m ²
GWP-total, A1-A3 (kg CO2e)	329

Accessibility rate

47%	63%	67%
Body	Mind	Sensory

Inclusivity rate

57%	67%	50%
Body	Mind	Sensory

Heartbeat rate

61%	39%
Physical	Emotional



Sandboxes



Anni Sandbox M

Product	F24602M
Age group	1+
Users	10
Height	2160 mm
Length	2490 mm
Width	2220 mm
Falling space	20,8 m ²
Fall height	740 mm
Impact area	8,2 m ²
GWP-total, A1-A3 (kg CO2e)	-34,8

Accessibility rate

60%	70%	80%
Body	Mind	Sensory

Inclusivity rate

80%	67%	72%
Body	Mind	Sensory

Heartbeat rate

33%	78%
Physical	Emotional



Iiro Sandbox S

Product	F24600M
Age group	1+
Users	8
Height	460 mm
Length	1820 mm
Width	1830 mm
Falling space	20,0 m ²
Fall height	460 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	60,4

Accessibility rate

53%	63%	80%
Body	Mind	Sensory

Inclusivity rate

93%	89%	72%
Body	Mind	Sensory

Heartbeat rate

56%	67%
Physical	Emotional



Aino Sandbox M

Product	F24601M
Age group	1+
Users	10
Height	460 mm
Length	2670 mm
Width	2630 mm
Falling space	28,0 m ²
Fall height	460 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	-82,41

Accessibility rate

57%	63%	80%
Body	Mind	Sensory

Inclusivity rate

93%	89%	72%
Body	Mind	Sensory

Heartbeat rate

56%	67%
Physical	Emotional



Jalmari Sandbox XL

Product	F24603M
Age group	1+
Users	10
Height	460 mm
Length	5050 mm
Width	5050 mm
Falling space	28,0 m ²
Fall height	460 mm
Impact area	0,0 m ²
GWP-total, A1-A3 (kg CO2e)	-95,24

Accessibility rate

57%	63%	80%
Body	Mind	Sensory

Inclusivity rate

97%	89%	72%
Body	Mind	Sensory

Heartbeat rate

56%	67%
Physical	Emotional

Seesaws



Ewa Sandbox and Slide

Product	F24605M
Age group	1+
Users	6
Height	3270 mm
Length	3200 mm
Width	2750 mm
Falling space	22,0 m ²
Fall height	790 mm
Impact area	14,0 m ²
GWP-total, A1-A3 (kg CO2e)	199,71

Accessibility rate

73%	70%	78%
Body	Mind	Sensory

Inclusivity rate

83%	85%	67%
Body	Mind	Sensory

Heartbeat rate

56%	56%
Physical	Emotional



Karin Seesaw

Product	F24032M
Age group	1+
Users	2
Height	716 mm
Length	1849 mm
Width	330 mm
Falling space	8,3 m ²
Fall height	590 mm
Impact area	8,3 m ²
GWP-total, A1-A3 (kg CO2e)	86,02

Accessibility rate

37%	59%	80%
Body	Mind	Sensory

Inclusivity rate

50%	85%	83%
Body	Mind	Sensory

Heartbeat rate

61%	61%
Physical	Emotional



Wilhelm Sandbox L

Product	F24604M
Age group	1+
Users	12
Height	2840 mm
Length	4910 mm
Width	4110 mm
Falling space	39,0 m ²
Fall height	820 mm
Impact area	18,0 m ²
GWP-total, A1-A3 (kg CO2e)	134

Accessibility rate


97%	70%	93%
Body	Mind	Sensory

Inclusivity rate

97%	89%	83%
Body	Mind	Sensory

Heartbeat rate

56%	72%
Physical	Emotional



Sara Seesaw

Product	F24033M
Age group	3+
Users	2
Height	770 mm
Length	3620 mm
Width	210 mm
Falling space	14,5 m ²
Fall height	840 mm
Impact area	11,5 m ²
GWP-total, A1-A3 (kg CO2e)	174,96

Accessibility rate


37%	59%	80%
Body	Mind	Sensory

Inclusivity rate

50%	85%	83%
Body	Mind	Sensory

Heartbeat rate

61%	61%
Physical	Emotional



Spring rockers



Piko-Piko Spring Rocker
 Product F24021M
 Age group 1+
 Users 1
 Height 730 mm
 Length 667 mm
 Width 400 mm
 Falling space 7,0 m²
 Fall height 600 mm
 Impact area 7,0 m²
 GWP-total, A1-A3 (kg CO2e) 80,6

Accessibility rate
 40% 52% 67%
 Body Mind Sensory

Inclusivity rate
 53% 67% 72%
 Body Mind Sensory

Heartbeat rate
 56% 33%
 Physical Emotional



Coco Spring Rocker
 Product F24503M
 Age group 2+
 Users 1
 Height 800 mm
 Length 920 mm
 Width 590 mm
 Falling space 6,4 m²
 Fall height 600 mm
 Impact area 6,7 m²
 GWP-total, A1-A3 (kg CO2e) 63,43

Accessibility rate
 47% 70% 80%
 Body Mind Sensory

Inclusivity rate
 53% 59% 61%
 Body Mind Sensory

Heartbeat rate
 44% 39%
 Physical Emotional



Auto Spring Rocker
 Product F24022M
 Age group 1+
 Users 1
 Height 830 mm
 Length 755 mm
 Width 394 mm
 Falling space 7,0 m²
 Fall height 600 mm
 Impact area 7,0 m²
 GWP-total, A1-A3 (kg CO2e) 100,27

Accessibility rate
 47% 70% 80%
 Body Mind Sensory

Inclusivity rate
 53% 59% 61%
 Body Mind Sensory

Heartbeat rate
 44% 39%
 Physical Emotional



Dino Spring Rocker
 Product F24504M
 Age group 2+
 Users 1
 Height 820 mm
 Length 890 mm
 Width 590 mm
 Falling space 6,4 m²
 Fall height 600 mm
 Impact area 6,4 m²
 GWP-total, A1-A3 (kg CO2e) 60,7

Accessibility rate
 43% 70% 80%
 Body Mind Sensory

Inclusivity rate
 53% 59% 61%
 Body Mind Sensory

Heartbeat rate
 44% 39%
 Physical Emotional



Lama Spring Rocker
 Product F24020M
 Age group 1+
 Users 2
 Height 813 mm
 Length 625 mm
 Width 394 mm
 Falling space 7,0 m²
 Fall height 600 mm
 Impact area 7,0 m²
 GWP-total, A1-A3 (kg CO2e) 99,59

Accessibility rate
 47% 70% 80%
 Body Mind Sensory

Inclusivity rate
 53% 59% 61%
 Body Mind Sensory

Heartbeat rate
 44% 39%
 Physical Emotional




Fina Spring Rocker
 Product F24501M
 Age group 2+
 Users 1
 Height 820 mm
 Length 800 mm
 Width 590 mm
 Falling space 6,4 m²
 Fall height 600 mm
 Impact area 6,4 m²
 GWP-total, A1-A3 (kg CO2e) 60

Accessibility rate
 47% 70% 80%
 Body Mind Sensory

Inclusivity rate
 53% 59% 61%
 Body Mind Sensory

Heartbeat rate
 44% 39%
 Physical Emotional



Vene Spring Rocker for Two
 Product F24023M
 Age group 2+
 Users 2
 Height 896 mm
 Length 771 mm
 Width 730 mm
 Falling space 8,5 m²
 Fall height 600 mm
 Impact area 8,5 m²
 GWP-total, A1-A3 (kg CO2e) 155,51

Accessibility rate
 57% 70% 80%
 Body Mind Sensory

Inclusivity rate
 60% 74% 67%
 Body Mind Sensory

Heartbeat rate
 44% 56%
 Physical Emotional




Nelli Spring Rocker
 Product F24502M
 Age group 2+
 Users 1
 Height 800 mm
 Length 1020 mm
 Width 590 mm
 Falling space 7,0 m²
 Fall height 600 mm
 Impact area 7,0 m²
 GWP-total, A1-A3 (kg CO2e) 61,8

Accessibility rate
 47% 70% 80%
 Body Mind Sensory

Inclusivity rate
 53% 59% 61%
 Body Mind Sensory

Heartbeat rate
 44% 39%
 Physical Emotional



Playmats



Path Spiral Pond
 Product 971520
 Diameter Ø 2000 mm



Path Spiral Stream
 Product 971521
 Diameter Ø 2000 mm



Path Curve L Latte
 Product 971522
 Length 1000 mm
 Width 1000 mm



Path Curve L Stream
 Product 971523
 Length 1000 mm
 Width 1000 mm



Path Curve M Latte
 Product 971524
 Length 800 mm
 Width 350 mm



Path Curve M Stream
 Product 971525
 Length 800 mm
 Width 350 mm




Path M Latte
 Product 971526
 Length 600 mm
 Width 200 mm



Path M Stream
 Product 971527
 Length 600 mm
 Width 200 mm




Path Dot Latte
 Product 971528
 Diameter Ø 200 mm



Path Dot Light Blue
 Product 971529
 Diameter Ø 200 mm



Path Dot White
 Product 971530
 Diameter Ø 200 mm



Path Dot Blue
 Product 971531
 Diameter Ø 200 mm



Play Dot Left handprint Latte
 Product 971532
 Diameter Ø 200 mm



Play Dot Right handprint Latte
 Product 971533
 Diameter Ø 200 mm



Play Dot Left footprint Latte
 Product 971534
 Diameter Ø 200 mm



Platform Tri M Latte
 Product 971544
 Length 750 mm
 Width 800 mm



Path Tri S Latte
 Product 971545
 Length 340 mm
 Width 380 mm



Path Tri S Sand
 Product 971546
 Length 340 mm
 Width 380 mm



Play Dot Right footprint Latte
 Product 971535
 Diameter Ø 200 mm



Play Dot Angry Face White
 Product 971536
 Diameter Ø 200 mm



Play Dot Sad Face Latte
 Product 971537
 Diameter Ø 200 mm



Path Square S Latte
 Product 971547
 Length 360 mm
 Width 360 mm



Path Square S Sand
 Product 971548
 Length 360 mm
 Width 360 mm



Jumping Wave Ocean
 Product 971549
 Length 2500 mm
 Width 1000 mm



Play Dot Neutral Face White
 Product 971538
 Diameter Ø 200 mm



Play Dot Smile Face Latte
 Product 971539
 Diameter Ø 200 mm



Play Dot Happy Face White
 Product 971540
 Diameter Ø 200 mm



Jumping Wave Meadow
 Product 971550
 Length 2500 mm
 Width 1000 mm



Jumping Swing Meadow
 Product 971551
 Length 3200 mm
 Width 1200 mm



Jumping Swing Ocean
 Product 971552
 Length 3200 mm
 Width 1200 mm



Platform Square L Pond
 Product 971541
 Length 1000 mm
 Width 1000 mm



Platform Square L Latte
 Product 971542
 Length 1000 mm
 Width 1000 mm




Platform Tri M Pond
 Product 971543
 Length 750 mm
 Width 800 mm



Jumping Swing Sand
 Product 971553
 Length 3200 mm
 Width 1200 mm



Jumping Swing Rainbow
 Product 971554
 Length 3200 mm
 Width 1200 mm




Jumping Tri Target Sand
 Product 971555
 Length 1400 mm
 Width 1300 mm




Jumping Square Target Ocean
 Product 971556
 Length 1400 mm
 Width 1400 mm



Jumping Square Target Meadow
 Product 971557
 Length 1400 mm
 Width 1400 mm



Area Tornado Pond
 Product 971558
 Diameter Ø 2800 mm



Area Tornado Lava
 Product 971559
 Diameter Ø 2800 mm




Area Story Island
 Product 971560
 Diameter Ø 2800 mm



Area Story Stream
 Product 971561
 Diameter Ø 2800 mm



Area Story Lake
 Product 971562
 Diameter Ø 2000 mm



Area Story Bluehole
 Product 971564
 Diameter Ø 2000 mm



Area Story Sand
 Product 971563
 Diameter Ø 2000 mm



Without kids it's just a ground.